



Product Service

# Attestation of Conformity

No. E8A 091060 0084 Rev. 02

**Holder of Certificate:** **Ningbo Dooya Mechanic & Electronic Technology Co., Ltd.**

No.168 Shengguang Road, Luotuo, Zhenhai  
315202 Ningbo, Zhejiang province  
PEOPLE'S REPUBLIC OF CHINA

**Name of Object:** **Electric Motors  
Tubular Motor**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 708881802030-02

**Date,** 2022-05-16

( Linda Qiu )

Page 1 of 5

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



# Attestation of Conformity

No. E8A 091060 0084 Rev. 02

## Model(s):

DM35S-3/14,DM35S-3/28,DM35S-6/14, DM35QL-8/17,  
DM35S-6/28,DM35S-10/17,DM35SL-6/28,DM35SL-10/17,  
DM35S-13/14,DM35SD-10/17, DM35Q-6/17,  
DM35Q-4/28,DM35Q-6/20,DM35Q-8/15, DM35Q-8/17,  
DM45Q-6/28,DM45Q-10/17,DM45Q-13/14,DM45S-6/15,  
DM45S-10/15,DM45SL-10/16,DM45S-10/26,  
DM45S-15/15,DM45SL-20/16,DM45S-20/15,  
DM45S-20/26,DM45SL-20/26,DM45S-25/15,  
DM45S-30/15,DM45S-40/15,DM45S-50/3.5,  
DM45S-50/12,DM45S-60/8,DM45M-10/15,  
DM45M-15/15,DM45M-20/15,DM45M-20/26,  
DM45M-25/15,DM45M-30/15,DM45M-40/15,  
DM45M-50/3.5,DM45M-50/12,DM45M-60/8,  
DM35S-12/15,DM45S-8/17,DM45S-8/26,  
DM45S-15/17,DM45S-25/17,DM45S-30/17,  
DM45SD-10/15,DM45SD-20/15,DM55S-60/12,  
DM55S-60/18,DM55S-80/12,DM55S-100/10,  
DM55S-100/12, DM55S-120/10, DM55S-120/7,  
DM55M-60/12,DM55M-60/18,DM55M-80/12,  
DM55M-100/10, DM55M-100/12, DM55M-120/10,  
DM55M-120/7,DM59S-60/15,DM59S-80/15,DM59S-100/9,  
DM59S-100/12,DM59S-120/9,DM59S-140/7, DM59S-180/7,  
DM59M-60/15,DM59M-80/15,DM59M-100/9,  
DM59M-100/12,DM59M-120/9,DM59M-140/7,  
DM59MB-140/7, DM59MB-140/8, DM59M-180/7,  
DM59MB-180/7,DM64S-140/7,DM64S-160/7,  
DM64S-180/7,DM64M-140/7,DM64M-160/7,DM64M-180/7,  
DM92S-140/12,DM92M-140/12,DM92S-140/9,  
DM92M-140/9,DM92S-230/9,DM92M-230/9,  
DM92SH-300/9,DM92S-300/9,DM92M-300/9,  
DM92S-330/9, DM92M-330/9

## Parameters:

Rated voltage:	230V~
Rated frequency:	50Hz
Rated input power:	see model list
Protection class:	I

## Tested according to:

EN IEC 55014-1:2021  
EN IEC 55014-2:2021  
EN IEC 61000-3-2:2019/A1:2021  
EN 61000-3-3:2013/A2:2021

Page 2 of 5

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



# Attestation of Conformity

No. E8A 091060 0084 Rev. 02

Model list:

Model	Rated Torque (N.m)	Rated Speed (r/min)	Rated Voltage (V)	Rated Frequency (Hz)	Rated Power Input (W)	Rated Current (A)
DM35S-3/14	3	14	230	50	98	0.43
DM35S-3/28	3	28	230	50	98	0.43
DM35S-6/14	6	14	230	50	98	0.43
DM35QL-8/17	8	17	230	50	98	0.43
DM35S-6/28	6	28	230	50	121	0.53
DM35S-10/17	10	17	230	50	121	0.53
DM35SL-6/28	6	28	230	50	121	0.53
DM35SL-10/17	10	17	230	50	121	0.53
DM35S-13/14	13	14	230	50	121	0.53
DM35SD-10/17	10	17	230	50	121	0.53
DM35Q-6/17	6	17	230	50	121	0.53
DM35Q-4/28	4	28	230	50	133	0.57
DM35Q-6/20	6	20	230	50	133	0.57
DM35Q-8/15	8	15	230	50	133	0.57
DM35Q-8/17	8	17	230	50	133	0.57
DM45Q-6/28	6	28	230	50	121	0.53
DM45Q-10/17	10	17	230	50	121	0.53
DM45Q-13/14	13	14	230	50	121	0.53
DM45S-6/15	6	15	230	50	100	0.44
DM45S-10/15	10	15	230	50	112	0.49
DM45SL-10/16	10	16	230	50	112	0.49
DM45S-10/26	10	26	230	50	145	0.64
DM45S-15/15	15	15	230	50	133	0.6
DM45SL-20/16	20	16	230	50	145	0.64
DM45S-20/15	20	15	230	50	145	0.64
DM45S-20/26	20	26	230	50	170	0.77
DM45SL-20/26	20	26	230	50	170	0.77
DM45S-25/15	25	15	230	50	191	0.83
DM45S-30/15	30	15	230	50	191	0.83
DM45S-40/15	40	15	230	50	198	0.86
DM45S-50/3.5	50	3.5	230	50	145	0.64
DM45S-50/12	50	12	230	50	205	0.89
DM45S-60/8	60	8	230	50	208	0.92
DM45M-10/15	10	15	230	50	112	0.49
DM45M-15/15	15	15	230	50	133	0.6
DM45M-20/15	20	15	230	50	145	0.64

Page 3 of 5

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



# Attestation of Conformity

No. E8A 091060 0084 Rev. 02

DM45M-20/26	20	26	230	50	170	0.77
DM45M-25/15	25	15	230	50	191	0.83
DM45M-30/15	30	15	230	50	191	0.83
DM45M-40/15	40	15	230	50	198	0.86
DM45M-50/3.5	50	3.5	230	50	145	0.64
DM45M-50/12	50	12	230	50	205	0.89
DM45M-60/8	60	8	230	50	208	0.92
DM35S-12/15	12	15	230	50	121	0.53
DM45S-8/17	8	17	230	50	112	0.49
DM45S-8/26	8	26	230	50	145	0.64
DM45S-15/17	15	17	230	50	145	0.64
DM45S-25/17	25	17	230	50	191	0.83
DM45S-30/17	30	17	230	50	191	0.83
DM45SD-10/15	10	15	230	50	112	0.49
DM45SD-20/15	20	15	230	50	145	0.64
DM55S-60/12	60	12	230	50	320	1.39
DM55S-60/18	60	18	230	50	373	1.63
DM55S-80/12	80	12	230	50	385	1.65
DM55S-100/10	100	10	230	50	393	1.68
DM55S-100/12	100	12	230	50	393	1.68
DM55S-120/10	120	10	230	50	425	1.85
DM55S-120/7	120	7	230	50	393	1.68
DM55M-60/12	60	12	230	50	320	1.39
DM55M-60/18	60	18	230	50	373	1.63
DM55M-80/12	80	12	230	50	385	1.65
DM55M-100/10	100	10	230	50	393	1.68
DM55M-100/12	100	12	230	50	393	1.68
DM55M-120/10	120	10	230	50	425	1.85
DM55M-120/7	120	7	230	50	393	1.68
DM59S-60/15	60	15	230	50	310	1.35
DM59S-80/15	80	15	230	50	330	1.43
DM59S-100/9	100	9	230	50	340	1.52
DM59S-100/12	100	12	230	50	345	1.54
DM59S-120/9	120	9	230	50	350	1.56
DM59S-140/7	140	7	230	50	385	1.66
DM59S-180/7	180	7	230	50	510	2.2
DM59M-60/15	60	15	230	50	310	1.35
DM59M-80/15	80	15	230	50	330	1.43
DM59M-100/9	100	9	230	50	340	1.52
DM59M-100/12	100	12	230	50	345	1.54

Page 4 of 5

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. E8A 091060 0084 Rev. 02

DM59M-120/9	120	9	230	50	350	1.56
DM59M-140/7	140	7	230	50	385	1.66
DM59MB-140/7	140	7	230	50	385	1.66
DM59MB-140/8	140	8	230	50	385	1.66
DM59M-180/7	180	7	230	50	510	2.2
DM59MB-180/7	180	7	230	50	510	2.2
DM64S-140/7	140	7	230	50	475	2.07
DM64S-160/7	160	7	230	50	488	2.12
DM64S-180/7	180	7	230	50	558	2.43
DM64M-140/7	140	7	230	50	475	2.07
DM64M-160/7	160	7	230	50	488	2.12
DM64M-180/7	180	7	230	50	558	2.43
DM92S-140/12	140	12	230	50	620	2.78
DM92M-140/12	140	12	230	50	620	2.78
DM92S-140/9	140	9	230	50	830	3.63
DM92M-140/9	140	9	230	50	830	3.63
DM92S-230/9	230	9	230	50	870	3.78
DM92M-230/9	230	9	230	50	870	3.78
DM92SH-300/9	300	9	230	50	810	3.5
DM92S-300/9	300	9	230	50	940	4.08
DM92M-300/9	300	9	230	50	940	4.08
DM92S-330/9	330	9	230	50	940	4.24
DM92M-330/9	330	9	230	50	940	4.24

Page 5 of 5

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.